

EVEN CURL Candlewick (small sizes)

The EVEN CURL line of wick was developed for use in tapers, pillars, votives, sticks and tea lights. Our balanced construction is designed to produce a gentle curl that is self-trimming and will not over curl. Fil-Tec's scientifically engineered chemical wick treatment reduces afterglow, enhances the selftrimming and helps control the curl. The wick's open construction allows for better capillary flow when using heavily scented paraffin, vegetable based and beeswax wax blends. Our patented construction also delivers a consistent rate of consumption. Fil-Tec EVEN CURL wick offers a higher yield than conventional braided wick, which means lower material costs and longer production runs.

WICK &	FLAME	RATE OF	POOL	WICK
PART NUMBER	HEIGHT	CONSUMPTION	DIAMETER	YIELD
EVEN CURL FT 1.021	.51 inch	2.3 grams / hour	1.021 inch	2585 yards / lb.
Part # 54930	1.3 cm		2.6 cm	5209 meters / kg.
EVEN CURL FT 1.044	.58 inch	2.5 grams / hour	1.044 inch	1955 yards / lb.
Part # 54949	1.5 cm		2.7 cm	3939 meters / kg.
EVEN CURL FT 1.175	.65 inch	2.9 grams / hour	1.175 inch	1639 yards / lb.
Part # 54912	1.7 cm		3.0 cm	3303 meters / kg.
EVEN CURL FT 1.385	.78 inch	3.3 grams / hour	1.385 inch	1326 yards / lb.
Part # 54968	2.0 cm		3.5 cm	2672 meters / kg.
EVEN CURL FT 1.593	1.1 inch	3.9 grams / hour	1.593 inch	1392 yards / lb.
Part # 54926	2.8 cm		4.0 cm	2805 meters / kg.
EVEN CURL FT 1.605	1.0 inch	4.2 grams / hour	1.605 inch	1379 yards / lb.
Part # 54989	2.5 cm		4.1 cm	2779 meters / kg.
EVEN CURL FT 1.699	1.2 inch	4.3 grams / hour	1.699 inch	1174 yards / lb.
Part # 54931	3.1 cm		4.3 cm	2366 meters / kg.
EVEN CURL FT 1.957	1.3 inch	4.8 grams / hour	1.957 inch	939 yards / lb.
Part # 54935	3.3 cm		5.0 cm	1892 meters / kg.
EVEN CURL FT 2.088	1.4 inch	5.3 grams / hour	2.088 inch	765 yards / lb.
Part # 54913	3.6 cm		5.3 cm	1541 meters / kg.

Our product description is very "user-friendly". The description represents the 4 hour pool diameter in a 140° melt point straight cut paraffin wax. This method allows the user to easily compare wick size and performance. This chart provides the candle maker a starting point for wick selection. Your wick selection will depend on wax blend, color and fragrance additives.

3/9/2015

FIL-TEC Inc. P.O. Box B Hagerstown, Maryland 21741-1191 USA Phone: 301-824-6166 Fax: 301-824-1125